

# Energy™ Series Compact Premium Home Ellipticals Fitness Crosstrainers™ 200 Line



MSRP	\$2,499	\$2,799	\$3,699	\$4,199
<b>Console</b>				
Console Type	R20 5" high contrast LCD	R20 5" high contrast LCD	R20 5" high contrast LCD	R40 7" LCD Capacitive Touch Screen
<b>Features</b>				
Frame Color Options	Silver	Silver	Silver	Silver
CrossRamp® (Adjustable Incline Range)	Manual	Manual	Motorized variable	Motorized variable
CrossRamp® Elevation Levels/Range	3 levels 15, 20, 25 degrees	3 levels 15, 20, 25 degrees	8 levels 15-25 degrees	8 levels 15-25 degrees
Resistance Levels	16	16	16	16
Variable Stride Length	18-21 in 46-53 cm	18-21 in 46-53 cm	18-21 in 46-53 cm	18-21 in 46-53 cm
Step-Up Height	8.5 in / 22 cm	8.5 in / 22 cm	8.5 in / 22 cm	8.5 in / 22 cm
Handlebars	Fixed	Moving	Moving	Moving
Entertainment Options	-	-	-	-
User IDs	0	2	2	4
Custom Workouts per User ID	-	0	0	4
In-Workout Feedback Metrics	13	13	13	27
Pre-Programmed Workouts	10	10	10	40 (24 preset, 16 custom)
Maximum Resistance	550 Watts	550 Watts	550 Watts	550 Watts
Recommended Maximum User Weight*	Tested up to 275 lbs / 125 kg	Tested up to 275 lbs / 125 kg	Tested up to 275 lbs / 125 kg	Tested up to 275 lbs / 125 kg
Dimensions (LxWxH)	75 x 29 x 65 in 191 x 74 x 165 cm	75 x 29 x 65 in 191 x 74 x 165 cm	75 x 29 x 65 in 191 x 74 x 165 cm	75 x 29 x 65 in 191 x 74 x 165 cm
Product Weight	193 lb / 72 kg	193 lb / 72 kg	214 lb / 80 kg	214 lb / 80 kg
Power Requirements	120V	120V	120V	120V
<b>Home Warranty**</b>				
	Lifetime frame and welds 5-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 5-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 5-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 5-year parts and wear items 3-year console 1-year labor

■ Standard - Not offered

\* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

\*\* These Precor warranties are based on in-home usage and are not warranted for commercial settings.

# Precision™ Series Premium Home Ellipticals Fitness Crosstrainers™ 400 Line

EFX® 423



EFX® 427



EFX® 443



EFX® 447



MSRP	\$4,299	\$4,999	\$4,799	\$5,499
<b>Console</b>				
Console Type	R20 5" High Contrast LCD	R20 5" High Contrast LCD	R40 7" LCD Capacitive Touch Screen	R40 7" LCD Capacitive Touch Screen
<b>Features</b>				
Frame Color Options	Silver	Silver	Silver	Silver
CrossRamp® (Adjustable Incline Range)	Motorized variable	Motorized variable	Motorized variable	Motorized variable
CrossRamp® Elevation Levels/Range	20 levels 15-40 degrees	20 levels 15-40 degrees	20 levels 15-40 degrees	20 levels 15-40 degrees
Resistance Levels	20	20	20	20
Variable Stride Length	21-24 in 53-61 cm	21-24 in 53-61 cm	21-24 in 53-61 cm	21-24 in 53-61 cm
Step-Up Height	9.5 in / 24 cm	9.5 in / 24 cm	9.5 in / 24 cm	9.5 in / 24 cm
Handlebars	Fixed	Convertible to both Moving or Fixed	Fixed	Convertible to both Moving or Fixed
Entertainment Options	-	-	-	-
User IDs	2	2	4	2
Custom Workouts per User ID	-	0	4	0
In-Workout Feedback Metrics	13	13	27	27
Pre-Programmed Workouts	10	10	40 (24 preset, 16 custom)	40 (24 preset, 16 custom)
Maximum Resistance	625 Watts	625 Watts	625 Watts	625 Watts
Recommended Maximum User Weight*	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg
Dimensions (LxWxH)	84 x 31 x 67 in 213 x 79 x 171 cm	84 x 31 x 67 in 213 x 79 x 171 cm	84 x 31 x 67 in 213 x 79 x 171 cm	84 x 31 x 67 in 213 x 79 x 171 cm
Product Weight	210 lb / 95 kg	240 lb / 109 kg	210 lb / 95 kg	240 lb / 109 kg
Power Requirements	120V	120V	120V	120V
<b>Home Warranty**</b>				
	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor

■ Standard - Not offered

\* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

\*\* These Precor warranties are based on in-home usage and are not warranted for commercial settings.

# Experience™ Series Commercial Elliptical Fitness Crosstrainers™ 600 and 700 Line



MSRP	\$5,995	\$8,095	\$9,095	\$5,795	\$8,145	\$9,145
<b>Console</b>						
Console Type	P30 Advanced LED display	P62 10" LCD Capacitive Touch Screen	P82 15" LCD Capacitive Touch Screen	P31 Advanced LED display	P62 10" LCD Capacitive Touch Screen	P82 15" LCD Capacitive Touch Screen
<b>Features</b>						
Frame Color Options	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
CrossRamp® (Adjustable Incline Range)	Motorized variable	Motorized variable	Motorized variable	Fixed	Fixed	Fixed
CrossRamp® Elevation Levels/Range	20 levels 10-35 degrees	20 levels 10-35 degrees	20 levels 10-35 degrees	20 degrees	20 degrees	20 degrees
Resistance Levels	20	20	20	20	20	20
Variable Stride Length	21-25 in 53-63 cm	21-25 in 53-63 cm	21-25 in 53-63 cm	22.5 in 57 cm	22.5 in 57 cm	22.5 in 57 cm
Step-Up Height	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm
Handlebars	Moving	Moving	Moving	Moving	Moving	Moving
Entertainment Options	-	Embedded	Embedded	-	Embedded	Embedded
User IDs	-	Unlimited with Preva®	Unlimited with Preva®	-	Unlimited with Preva®	Unlimited with Preva®
Custom Workouts per User ID	-	Unlimited with Preva®	Unlimited with Preva®	-	Unlimited with Preva®	Unlimited with Preva®
In-Workout Feedback Metrics	18	18	18	18	18	18
Pre-Programmed Workouts	15	22	22	22	22	22
Maximum Resistance	534 Watts	534 Watts	534 Watts	720 Watts	720 Watts	720 Watts
Recommended Maximum User Weight*	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg
Dimensions (LxWxH)	80 x 30 x 67 in 203 x 76 x 170 cm	80 x 28 x 71 in 203 x 71 x 180 cm	80 x 28 x 71 in 203 x 71 x 180 cm	80 x 28 x 67 in 203 x 71 x 170 cm	80 x 28 x 72 in 203 x 71 x 183 cm	80 x 28 x 72 in 203 x 71 x 183 cm
Product Weight	340 lb / 154 kg	340 lb / 154 kg	340 lb / 154 kg	278 lb / 126 kg	280 lb / 127 kg	286 lb / 130 kg
Power Requirements	Self-Powered	120V	120V	Self-Powered	120V	120V
<b>Home Warranty**</b>						
	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor	Lifetime frame and welds 10-year parts and wear items 3-year console 1-year labor

■ Standard - Not offered

\* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

\*\* These Precor warranties are based on in-home usage and are not warranted for commercial settings.

# Experience™ Series Commercial Ellipticals Fitness Crosstrainers™ 800 Line



MSRP	\$6,845	\$7,845	\$9,295	\$10,295	\$10,295	\$11,295
<b>Console</b>						
Console Type	P31 Advanced LED display	P31 Advanced LED display	P62 10" LCD Capacitive Touch Screen	P62 10" LCD Capacitive Touch Screen	P82 15" LCD Capacitive Touch Screen	P82 15" LCD Capacitive Touch Screen
<b>Features</b>						
Frame Color Options	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
CrossRamp® (Adjustable Incline Range)	Motorized & Converging	Motorized & Converging	Motorized & Converging	Motorized & Converging	Motorized & Converging	Motorized & Converging
CrossRamp® Elevation Levels/Range	20 levels 10-35 degrees	20 levels 10-35 degrees	20 levels 10-35 degrees	20 levels 10-35 degrees	20 levels 10-35 degrees	20 levels 10-35 degrees
Resistance Levels	20	20	20	20	20	20
Variable Stride Length	21-25 in 53-63 cm	21-25 in 53-63 cm	21-25 in 53-63 cm	21-25 in 53-63 cm	21-25 in 53-63 cm	21-25 in 53-63 cm
Step-Up Height	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm	8 in / 20 cm
Handlebars	Fixed	Moving	Fixed	Moving	Fixed	Moving
Entertainment Options	-	-	Embedded	Embedded	Embedded	Embedded
User IDs	-	-	Unlimited with Preva®	Unlimited with Preva®	Unlimited with Preva®	Unlimited with Preva®
Custom Workouts per User ID	-	-	Unlimited with Preva®	Unlimited with Preva®	Unlimited with Preva®	Unlimited with Preva®
In-Workout Feedback Metrics	18	18	18	18	18	18
Pre-Programmed Workouts	22	15	22	22	22	22
Maximum Resistance	720 Watts	720 Watts	720 Watts	720 Watts	720 Watts	720 Watts
Recommended Maximum User Weight*	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg	Tested up to 350 lbs / 159 kg
Dimensions (LxWxH)	80 x 28 x 67 in 203 x 71 x 170 cm	80 x 28 x 67 in 203 x 71 x 170 cm	80 x 28 x 72 in 203 x 71 x 183 cm	80 x 28 x 72 in 203 x 71 x 183 cm	80 x 28 x 72 in 203 x 71 x 183 cm	80 x 28 x 72 in 203 x 71 x 183 cm
Product Weight	330 lb / 150 kg	330 lb / 150 kg	340 lb / 154 kg	340 lb / 154 kg	340 lb / 154 kg	340 lb / 154 kg
Power Requirements	Self-Powered	Self-Powered	120V	120V	120V	120V
<b>Home Warranty**</b>						
	Lifetime frame and welds	Lifetime frame and welds	Lifetime frame and welds	Lifetime frame and welds	Lifetime frame and welds	Lifetime frame and welds
	10-year parts and wear items	10-year parts and wear items	10-year parts and wear items	10-year parts and wear items	10-year parts and wear items	10-year parts and wear items
	3-year console	3-year console	3-year console	3-year console	3-year console	3-year console
	1-year labor	1-year labor	1-year labor	1-year labor	1-year labor	1-year labor

■ Standard - Not offered

\* Precor does not deny warranty claims based on user weight. Weight limits reported are recommended for best performance based on internal testing.

\*\* These Precor warranties are based on in-home usage and are not warranted for commercial settings.